

sunlite[®]

Fixture Catalog

2018

For product inquiries or to place an order, please contact us at:

TOLL FREE PHONE: **800.605.BULB**

VISIT: **www.sunlite.com**

For general information: **info@sunlite.com**

Sales department: **sales@sunlite.com**

To request a catalog: **catalog@sunlite.com**

New York

744 Clinton Street
Brooklyn, NY 11231
t: 718.768.7000
f: 718.768.0970

Florida

3698 1/2 NW 16th Street Bay C
Lauderhill, FL 33311
t: 954.316.6130
f: 954.316.6019




Indoor

Antique Style

Socket

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Steel Body
- UL Listed
- Bulb(s) *not* Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07030-SU	A AQF/BS/S1/S	Brass	N/A	1	40	1.8(dia) x 3.5(h) 42" Cord
07032-SU	B AQF/BS/S1	Bronze	N/A	1	40	1.8(dia) x 3.5(h) 42" Cord
07034-SU	C AQF/BS/S1/T	Antique Bronze	N/A	1	40	1.8(dia) x 3.5(h) 42" Cord
07000-SU	D AQF/PD/S1/BB	Matte Antique Bronze	N/A	1	60	1.8(dia) x 3.5(h) 72" Cord
07004-SU	E AQF/FM/S1/BB	Brass	N/A	1	60	4.7(dia) x 4.8(h)
07001-SU	F AQF/PD/S3/CB	Copper Bronze	N/A	3	60	6.0(dia) x 5.3(h) 42" Cord

Antique Style

Clear Glass

- Pendant Mount
- 120 volts
- Medium (E26) Base
- UL Listed
- Bulb(s) *not* Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07058-SU	A AQF/CG/PD/CYL	Black	Clear Glass	1	60	5.9(dia) x 9.0(h) 70" Cord
07092-SU	B AQF/CG/PD/SG	Black	Clear Glass	1	60	10.0(dia) x 10.5(h) 73" Cord
07074-SU	C AQF/CG/PD/VCYL	Black	Clear Glass	1	60	7.0(dia) x 11.6(h) 50" Cord

Antique Style

Clear Glass

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Steel Body
- UL Listed
- Bulb(s) *not* Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07002-SU	A AQF/PD/CN/CB/CAC	Copper Bronze	Clear Glass	1	60	5.7(dia) x 9.4(h) 71" Cord
07048-SU	B AQF/CG/PD/EL	Black	Clear Glass	1	60	12.0(dia) x 12.0(h) 52" Cord
07046-SU	C AQF/CG/PD/TCYL	Black	Clear Glass	1	60	9.6(dia) x 12.0(h) 49" Cord

Antique Style

Tinted Glass

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07020-SU	A TG/PD/SP/9	9" Brushed Nickel	Tinted Glass	1	60	8.3(dia) x 9.6(h) 72" Cord
07022-SU	B TG/PD/SP/6.5	6.5" Brushed Nickel	Tinted Glass	1	60	6.9(dia) x 7.0(h) 72" Cord
07024-SU	C TG/PD/SP/7	Brushed Nickel	Tinted Glass	1	60	5.5(dia) x 7.6(h) 72" Cord

Antique Style

Industrial

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Metal Body



A



B

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07088-SU	A AQF/IS/3PD/MB	Matte Black	Glass Lens	3	60	40.5(l) x 12.5(w) x 47.1(h)
07044-SU	B AQF/IS/1PD/MB	Matte Black	Glass Lens	1	60	13.7(dia) x 46.3(h) 50" Cord

Antique Style

Cage

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Metal Body
- Bulb(s) *not* Included



A



B

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07078-SU	A AQF/NC/PD/R	Black	Mesh Wall	3	60	32.5(l) x 12.8(w) x 11.0(h) 48" Cord
07072-SU	B AQF/NC/PD/T	Black	Clear Glass	1	60	15.8(l) x 15.8(w) x 17.0(h)

Antique Style

Black n Gold

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Metal Body
- UL Listed
- Bulb(s) *not* Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07026-SU	A PD/IC/14	Matte Black	N/A	1	60	14.3(dia) x 8.5(h) 78" Cord
07028-SU	B PD/IC/7	Matte Black	N/A	1	60	7.3(dia) x 16.0(h) 74" Cord

Viking Style

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Metal & Fabric Body
- Bulb(s) *not* Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07066-SU	A AQF/PD/VS/AB	Antique Bronze	N/A	6	60	24.0(l) x 24.0(w) x 25.0(h) 17" Cord
07064-SU	B AQF/RPD/VS/AB	Antique Bronze	N/A	3	60	21.0(l) x 21.0(w) x 22.0(h) 28" Cord

Antique Style

Decorative

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Steel Body
- Bulb(s) *not* Included



A



B

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07094-SU	A AQF/GPD/DS/MB	Matt Black	N/A	1	60	20.4(l) x 20.4(w) x 22.0(h) 51" Cord
07084-SU	B AQF/4TPD/AB	Antique Black	N/A	4	60	8.0(l) x 8.0(w) x 34.5(h) 65" Cord

Antique Style

Wall Mount

- Wall Mount
- 120 volts
- Medium (E26) Base
- Steel Body
- UL Listed
- Bulb(s) *not* Included



A



B

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07036-SU	A AQF/WC/AB	Antique Brass	N/A	1	60	10.3(l) x 8.7(w) x 10.8(h)
07052-SU	B AQF/WS/BB	Brushed Bronze	N/A	1	60	6.7(l) x 5.8(w) x 6.5(h)

Antique Style

Ceiling Cage

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Steel Body
- UL Listed
- Bulb(s) *not* Included



A



B



C



D

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07005-SU	A AQF/PD/CN10/CG/OB	Oil Black	Clear	1	60	10.7(dia) x 11.5(h) 68" Cord
07006-SU	B AQF/PD/OCG/OB/CB	Vintage Oil Bronze	N/A	1	60	6.5(dia) x 11.8(h) 42" Cord
07003-SU	C AQF/PD/CG/OB	Vintage Oil Bronze	N/A	1	40	4.3(dia) x 8.3(h) 72" Cord
07014-SU	D AQF/PD/CG/WH	White	N/A	1	40	4.3(dia) x 8.3(h) 72" Cord

Antique Style

Wall Cage

- Wall Mount
- 120 volts
- Medium (E26) Base
- Steel Body
- UL Listed
- Bulb(s) *not* Included



A



B



C

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07054-SU	A AQF/WCC/OB	Oil Black	Clear	1	40	12(l) x 6.5(w) x 10.75(h)
07056-SU	B AQF/OWC/OB	Vintage Oil Bronze	N/A	1	40	8.8(l) x 6.5(w) x 14.2(h)
07042-SU	C AQF/WC/OB	Vintage Oil Bronze	N/A	1	60	5.5(l) x 4.7(w) x 11.3(h)

Antique Style

Ceiling Cage

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Metal Body



A



B

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07010-SU	A AQF/PD/HEX/AB	Antique Bronze	N/A	1	60	6.9(dia) x 9.5(h) 72" Cord
07011-SU	B AQF/PD/CGC/IR	Iron Rust	N/A	1	60	5.7(dia) x 10.6(h) 42" Cord

Antique Style

Ceiling Canopy

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Metal Body
- Bulb(s) *not* Included



A



B



C

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07007-SU	A AQF/PD/CN8/AB	8" Antique Brass	N/A	1	60	8.0(dia) x 6.5(h) 48" Cord
07008-SU	AQF/PD/CN10/AB	10" Antique Brass	N/A	1	60	10.0(dia) x 6.5(h) 48" Cord
07016-SU	B AQF/PD/CN10/AB/FLA	Antique Brass	N/A	1	40	10.5(dia) x 4.5(h)
07009-SU	C AQF/PD/SCN10/OB/AB	Antique Brass	N/A	1	60	10.0(dia) x 6.3(h) 72" Cord

Antique Style

Piping System

- Wall Mount
- 120 volts
- Medium (E26) Base
- Metal Body
- Bulb(s) *not* Included




Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07076-SU	AQF/PS/IR	Iron Rust	N/A	5	40	42.0(l) x 5.0(w) x 20.0(h)

Antique Style

Ceiling Cage

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Metal Body
- Bulb(s) *not* Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07060-SU	A AQF/GPD/PR/AB	Antique Bronze	N/A	1	60	15.0(dia) x 17.0(h) 48" Cord
07082-SU	B AQF/GPD/F/AB	Antique Bronze	N/A	5	60	26.5(dia) x 7.0(h)
07062-SU	C AQF/GPD/AC/AB	Antique Bronze	N/A	1	60	8.0(dia) x 16.3(h) 46" Cord

Antique Style

Industrial

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal Body
- Bulb(s) *not* Included



A



B

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)	
07086-SU	A AQF/IS/3PDW/MB	Matte Black	N/A	3	60	33.0(l) x 33.0(w) x 39.0(h)	12" Cord
07068-SU	B AQF/IS/2PD/MB	Matte Black	N/A	2	60	31.1(l) x 10.8(w) x 33.7(h)	29" Cord

Antique Style

Wall Mount

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses T8 Bulbs
- Steel Body
- UL Listed
- Bulb(s) *not* Included



A



B

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
07040-SU	A AQF/2WT/AB	Antique Black	N/A	2	60	11.8(l) x 4.1(w) x 13.1(h)
07038-SU	B AQF/WTP/IR	Iron Rust	N/A	1	60	4.6(l) x 4.4(w) x 18.1(h)

Gooseneck

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal Body
- UL Listed - Wet Location
- Bulb(s) *not* Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
46067-SU	FIX/GN/E26/BLACK	Black	N/A	1	60	15.0(l) x 12.0(w) x 11.5(h)
46069-SU	FIX/GN/E26/RED	Red	N/A	1	60	15.0(l) x 12.0(w) x 11.5(h)
46068-SU	FIX/GN/E26/WHITE	White	N/A	1	60	15.0(l) x 12.0(w) x 11.5(h)

Colored Canopy

Nova

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Plastic Body
- Only Lampholder & Cord



Ask about the accompanying UFO Led bulbs

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
80758-SU	CO/PD/BL	Blue	N/A	1	40	1.8(dia) x 4.0(h) 42" Cord
80759-SU	CO/PD/PK	Pink	N/A	1	40	1.8(dia) x 4.0(h) 42" Cord
80760-SU	CO/PD/WH	White	N/A	1	40	1.8(dia) x 4.0(h) 42" Cord

Colored Canopy

Vega

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Metal Body
- UL Listed - Dry Location



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
88740-SU	CF/PD/V/Y	Yellow	Open	1	60	12.0(dia) x 5.3(h) 48" Cord
88741-SU	CF/PD/V/R	Red	Open	1	60	12.0(dia) x 5.3(h) 48" Cord
88742-SU	CF/PD/V/B	Blue	Open	1	60	12.0(dia) x 5.3(h) 48" Cord
88743-SU	CF/PD/V/P	Pink	Open	1	60	12.0(dia) x 5.3(h) 48" Cord
88744-SU	CF/PD/V/BB	Baby Blue	Open	1	60	12.0(dia) x 5.3(h) 48" Cord
88745-SU	CF/PD/V/M	Mint	Open	1	60	12.0(dia) x 5.3(h) 48" Cord

Colored Canopy

Zed

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Metal Body
- UL Listed - Dry Location



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
88750-SU	CF/PD/Z/Y	Yellow	Cage	1	60	10.0(dia) x 10.0(h) 48" Cord
88751-SU	CF/PD/Z/R	Red	Cage	1	60	10.0(dia) x 10.0(h) 48" Cord
88752-SU	CF/PD/Z/B	Blue	Cage	1	60	10.0(dia) x 10.0(h) 48" Cord
88753-SU	CF/PD/Z/P	Pink	Cage	1	60	10.0(dia) x 10.0(h) 48" Cord
88754-SU	CF/PD/Z/BB	Baby Blue	Cage	1	60	10.0(dia) x 10.0(h) 48" Cord
88755-SU	CF/PD/Z/M	Mint	Cage	1	60	10.0(dia) x 10.0(h) 48" Cord

Colored Canopy

Sona

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Metal Body
- UL Listed - Dry Location



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
88730-SU	CF/PD/S/Y	Yellow	Open	1	60	11.5(dia) x 7.1(h) 48" Cord
88731-SU	CF/PD/S/R	Red	Open	1	60	11.5(dia) x 7.1(h) 48" Cord
88732-SU	CF/PD/S/B	Blue	Open	1	60	11.5(dia) x 7.1(h) 48" Cord
88733-SU	CF/PD/S/P	Pink	Open	1	60	11.5(dia) x 7.1(h) 48" Cord
88734-SU	CF/PD/S/BB	Baby Blue	Open	1	60	11.5(dia) x 7.1(h) 48" Cord
88735-SU	CF/PD/S/M	Mint	Open	1	60	11.5(dia) x 7.1(h) 48" Cord

Colored Canopy

Nova

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Metal Body
- UL Listed - Dry Location



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
88760-SU	CF/PD/N/Y	Yellow	Open	1	60	16.0(dia) x 7.6(h) 48" Cord
88761-SU	CF/PD/N/R	Red	Open	1	60	16.0(dia) x 7.6(h) 48" Cord
88762-SU	CF/PD/N/B	Blue	Open	1	60	16.0(dia) x 7.6(h) 48" Cord
88763-SU	CF/PD/N/P	Pink	Open	1	60	16.0(dia) x 7.6(h) 48" Cord
88764-SU	CF/PD/N/BB	Baby Blue	Open	1	60	16.0(dia) x 7.6(h) 48" Cord
88765-SU	CF/PD/N/M	Mint	Open	1	60	16.0(dia) x 7.6(h) 48" Cord

Bathroom Vanity

Classic Light Bar

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses G25 Bulb(s)
- Metal Body
- UL Listed
- Bulb(s) *not* Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
45050-SU	B318/PB	Polished Brass	N/A	3	60	18.0(l) x 2.3(w) x 4.9(h)
45150-SU	B424/PB	Polished Brass	N/A	4	60	24.0(l) x 2.3(w) x 4.9(h)
45250-SU	B636/PB	Polished Brass	N/A	6	60	36.0(l) x 2.3(w) x 4.8(h)
45350-SU	B848/PB	Polished Brass	N/A	8	60	48.0(l) x 2.1(w) x 4.6(h)

Bathroom Vanity

Classic Light Bar

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses G25 Bulb(s)
- Metal Body
- UL Listed
- Bulb(s) *not* Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
45000-SU	B318/BN	Brushed Nickel	N/A	3	60	18.0(l) x 2.3(w) x 4.9(h)
45100-SU	B424/BN	Brushed Nickel	N/A	4	60	24.0(l) x 2.3(w) x 4.9(h)
45200-SU	B636/BN	Brushed Nickel	N/A	6	60	35.8(l) x 2.3(w) x 4.9(h)
45300-SU	B848/BN	Brushed Nickel	N/A	8	60	48.0(l) x 2.3(w) x 4.9(h)

Bathroom Vanity

Classic Light Bar

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses G25 Bulb(s)
- Metal Body
- UL Listed
- Bulb(s) *not* Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
45025-SU	B318/CH	Chrome	N/A	3	60	18.0(l) x 2.3(w) x 4.9(h)
45125-SU	B424/CH	Chrome	N/A	4	60	24.0(l) x 2.3(w) x 4.9(h)
45225-SU	B636/CH	Chrome	N/A	6	60	36.0(l) x 2.0(w) x 4.8(h)
45325-SU	B848/CH	Chrome	N/A	8	60	48.0(l) x 2.3(w) x 4.8(h)

Bathroom Vanity

Decorative Sconces

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
45430-SU	B214/BN/AL	Brushed Nickel	Alabaster Glass	2	60	14.0(l) x 5.5(w) x 9.5(h)
45405-SU	B324U/BN/AL	Brushed Nickel	Alabaster Glass	3	60	24.0(l) x 5.5(w) x 8.3(h)
45410-SU	B536U/BN/AL	Brushed Nickel	Alabaster Glass	5	60	36.0(l) x 5.5(w) x 9.5(h)
45445-SU	B648D/BN/AL	Brushed Nickel	Alabaster Glass	6	60	48.0(l) x 5.5(w) x 9.5(h)

Bathroom Vanity

Decorative Sconces

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
45450-SU	B214D/PB/AL	Polished Brass	Alabaster Glass	2	60	14.0(l) x 5.5(w) x 9.5(h)
45455-SU	B324D/PB/AL	Polished Brass	Alabaster Glass	3	60	24.0(l) x 5.5(w) x 9.5(h)
45460-SU	B430D/PB/AL	Polished Brass	Alabaster Glass	4	60	30.0(l) x 5.5(w) x 9.5(h)
45465-SU	B648D/PB/AL	Polished Brass	Alabaster Glass	6	60	48.0(l) x 5.5(w) x 9.5(h)

Bathroom Vanity

Decorative Sconces

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
45491-SU	B214/DB/TS	Dusted Brown	Tea Stained Glass	2	60	14.0(l) x 5.5(w) x 9.5(h)
45492-SU	B324/DB/TS	Dusted Brown	Tea Stained Glass	3	60	24.0(l) x 5.5(w) x 9.5(h)
45493-SU	B430/DB/TS	Dusted Brown	Tea Stained Glass	4	60	30.0(l) x 5.5(w) x 9.5(h)
45494-SU	B648/DB/TS	Dusted Brown	Tea Stained Glass	6	60	48.0(l) x 5.5(w) x 9.5(h)

Bathroom Vanity

Decorative Sconces

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
45415-SU	B214U/CH/FR	Chrome	Frosted Glass	2	60	14.0(l) x 5.5(w) x 7.9(h)
45420-SU	B324U/CH/FR	Chrome	Frosted Glass	3	60	24.0(l) x 5.5(w) x 7.9(h)
45425-SU	B536U/CH/FR	Chrome	Frosted Glass	5	60	36.0(l) x 5.5(w) x 7.9(h)

Bathroom Vanity

Decorative Sconces

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
45470-SU	B214D/DB/AL	Dusted Brown	Alabaster Glass	2	60	14.0(l) x 5.5(w) x 9.5(h)
45475-SU	B324D/DB/AL	Dusted Brown	Alabaster Glass	3	60	24.0(l) x 5.5(w) x 9.5(h)
45480-SU	B436D/DB/AL	Dusted Brown	Alabaster Glass	4	60	30.0(l) x 5.5(w) x 9.5(h)
45485-SU	B648D/DB/AL	Dusted Brown	Alabaster Glass	6	60	48.0(l) x 5.5(w) x 9.5(h)

Bathroom Vanity

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
45059-SU	FIX/SM/BATH/3LT/E26/BN	Brushed Nickel	White	3	100	24.0(l) x 6.0(w) x 8.5(h)
45060-SU	FIX/SM/BATH/4LT/E26/BN	Brushed Nickel	White	4	100	33.5(l) x 6.0(w) x 8.5(h)

Bathroom Vanity

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
45055-SU	FIX/FM/BATH/1LT/E26/BN	Brushed Nickel	Frosted	1	100	7.8(l) x 5.5(w) x 7.0(h)
45056-SU	FIX/FM/BATH/2LT/E26/BN	Brushed Nickel	Frosted	2	100	17.0(l) x 6.3(w) x 7.0(h)
45057-SU	FIX/FM/BATH/3LT/E26/BN	Brushed Nickel	Frosted	3	100	24.0(l) x 6.3(w) x 7.0(h)
45058-SU	FIX/FM/BATH/4LT/E26/BN	Brushed Nickel	Frosted	4	100	30.0(l) x 6.3(w) x 7.0(h)

Bathroom Vanity

Square Sconces

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
46061-SU	FIX/SQ/BATH/1LT/E26/BN	Brushed Nickel	Frosted	1	100	5.0(l) x 5.0(w) x 8.8(h)
46062-SU	FIX/SQ/BATH/2LT/E26/BN	Brushed Nickel	Frosted	2	100	14.0(l) x 5.0(w) x 8.8(h)
46063-SU	FIX/SQ/BATH/3LT/E26/BN	Brushed Nickel	Frosted	3	100	20.0(l) x 5.0(w) x 8.8(h)
46064-SU	FIX/SQ/BATH/4LT/E26/BN	Brushed Nickel	Frosted	4	100	25.6(l) x 5.0(w) x 8.8(h)



Wall Mount

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
46020-SU	S1150A	Brushed Nickel	Alabaster Glass	3	60	18.8(l) x 8.8(w) x 10.5(h)

Bathroom Vanity

Decorative Sconces

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- UL Listed




Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
46015-SU	S1100E	Chrome	Frosted Glass	3	60	24.0(l) x 5.5(w) x 7.8(h)

Decorative Flush Mount

Double Band Trim

- Surface Mount
- 120 volts
- GU24 Base
- Uses Spirals Fluorescent Bulb(s)
- Metal & Acrylic Body
- Bulb(s) Included




LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
45570-SU	DCO12/E/SN	Satin Nickel	White Lens	1	23	12.0(dia) x 3.5(h)
45575-SU	DCO14/E/SN	Satin Nickel	White Lens	2	23	14.0(dia) x 3.5(h)
45580-SU	DCO16/E/SN	Satin Nickel	White Lens	2	23	16.0(dia) x 4.0(h)

Decorative Flush Mount


Double Band Trim

- Surface Mount
- 120 volts
- GU24 Base
- Uses Spirals Fluorescent Bulb(s)
- Metal & Acrylic Body
- UL Listed
- Bulb(s) Included



LED
Upgradable
(See back page)


Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
45571-SU	DCO12/E/PB	Polished Brass	White Lens	1	23	12.0(dia) x 3.5(h)
45576-SU	DCO14/E/PB	Polished Brass	White Lens	2	23	14.0(dia) x 3.5(h)
45581-SU	DCO16/E/PB	Polished Brass	White Lens	2	23	16.0(dia) x 4.0(h)
45586-SU	DCO18/E/PB	Polished Brass	White Lens	2	23	18.0(dia) x 4.0(h)



Mushroom Flush Mount

White Lens

- Surface Mount
- 120 volts
- Metal & Glass Body
- UL Listed



LED
Upgradable
(See back page)

Medium Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04485-SU	HALL6/PB	Polished Brass	White Glass	1	60	7.5(dia) x 4.8(h)
04497-SU	HALL8/PB	Polished Brass	White Glass	2	60	8.8(dia) x 4.8(h)


GU24 Base | Lamps Included

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04486-SU	HALL6/PB/GU24/1-18/ES	Polished Brass	White Glass	1	18	7.5(dia) x 4.8(h)
04498-SU	HALL8/PB/GU24/2-18/ES	Polished Brass	White Glass	2	18	8.8(dia) x 4.8(h)

Mushroom Flush Mount

White Lens

- Surface Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed




LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04490-SU	HALL6/WH	White	White Glass	1	60	6.0(dia) x 5.0(h)
07690-SU	HALL8/WH	White	White Glass	2	60	8.0(dia) x 5.5(h)

Mushroom Flush Mount

Frosted Lens

- Surface Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed




LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04492-SU	HALL6/BN	Brushed Nickel	Alabaster Glass	1	60	7.5(dia) x 4.8(h)
04482-SU	HALL8/BN	Brushed Nickel	Alabaster Glass	2	60	8.8(dia) x 4.8(h)

Decorative Dome Style

Alabaster Lens

- Surface Mount
- 120 volts
- GU24 Base
- Uses Spirals Fluorescent Bulb(s)
- Metal & Glass Body
- UL Listed
- Bulb(s) Included




LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04280-SU	DBN12/AL/GU24/2-18/ES	Brushed Nickel	Alabaster Glass	2	18	12.0(dia) x 4.0(h)
04281-SU	DBN14/AL/GU24/2-18/ES	Brushed Nickel	Alabaster Glass	2	18	13.3(dia) x 4.5(h)
04282-SU	DBN16/AL/GU24/3-18/ES	Brushed Nickel	Alabaster Glass	3	18	15.3(dia) x 4.8(h)

Decorative Dome Style

Alabaster Lens

- Surface Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed




LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
46081-SU	DDB11/TS	Distressed Brown	Tea Stain Glass	2	60	11.0(dia) x 5.5(h)
46082-SU	DDB13/TS	Distressed Brown	Tea Stain Glass	2	60	13.3(dia) x 5.8(h)
46083-SU	DDB15/TS	Distressed Brown	Tea Stain Glass	3	60	15.3(dia) x 5.5(h)

Decorative Dome Style

Alabaster Lens

- Surface Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed




LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
46070-SU	DDB11/AL	Distressed Brown	Alabaster Glass	2	60	11.3(dia) x 6.0(h)
46075-SU	DDB13/AL	Distressed Brown	Alabaster Glass	2	60	13.3(dia) x 5.8(h)
46078-SU	DDB15/AL	Distressed Brown	Alabaster Glass	3	60	15.3(dia) x 5.5(h)

Decorative Dome Style

Frosted Ribbed and White Lens

- Surface Mount
- 120 volts
- Metal & Glass Body
- UL Listed



LED
Upgradable
(See back page)

Medium Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04574-SU	DBS11/FR	Polished Brass	Frosted Glass	2	60	11.0(dia) x 6.0(h)
04582-SU	DBS13/FR	Polished Brass	Frosted Glass	2	60	13.3(dia) x 6.0(h)
04552-SU	DBS15/FR	Polished Brass	Frosted Glass	3	60	15.3(dia) x 6.8(h)


GU24 Base | Lamps Included

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04531-SU	DBS11/FR/GU24/1-18/ES	Polished Brass	Frosted Glass	1	18	11.3(dia) x 5.5(h)
04538-SU	DBS13/FR/GU24/2-18/ES	Polished Brass	Frosted Glass	2	18	13.3(dia) x 6.0(h)

Decorative Dome Style

Frosted Ribbed and Clear Lens

- Surface Mount
- 120 volts
- Metal & Glass Body
- UL Listed



LED
Upgradable
(See back page)

Medium Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04572-SU	DBS11/CL	Polished Brass	Clear Glass	2	60	11.3(dia) x 5.3(h)
04580-SU	DBS13/CL	Polished Brass	Clear Glass	2	60	13.0(dia) x 6.3(h)
04537-SU	DBS15/CL	Polished Brass	Clear Glass	3	60	15.3(dia) x 6.8(h)


GU24 Base | Lamps Included

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04532-SU	DBS11/CL/GU24/1-18/ES	Polished Brass	Clear Glass	1	18	11.3(dia) x 5.5(h)
04536-SU	DBS13/CL/GU24/2-18/ES	Polished Brass	Clear Glass	2	18	13.3(dia) x 6.0(h)

Decorative Dome Style

Alabaster Ribbed Lens

- Surface Mount
- 120 volts
- Metal & Glass Body
- UL Listed



LED
Upgradable
(See back page)

Medium Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04587-SU	DBN11/AL	Brushed Nickel	Alabaster Glass	2	60	11.3(dia) x 11.3(h)
04588-SU	DBN13/AL	Brushed Nickel	Alabaster Glass	2	60	13.3(dia) x 5.3(h)
04591-SU	DBN15/AL	Brushed Nickel	Alabaster Glass	3	60	15.3(dia) x 5.3(h)


GU24 Base | Lamps Included

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04542-SU	DBN11/AL/GU24/1-18/ES	Brushed Nickel	Alabaster Glass	1	18	11.3(dia) x 5.5(h)
04534-SU	DBN13/AL/GU24/2-18/ES	Brushed Nickel	Alabaster Glass	2	18	13.3(dia) x 5.5(h)

Decorative Dome Style

Ribbed Lens

- Surface Mount
- 120 volts
- Metal & Glass Body
- UL Listed



LED
Upgradable
(See back page)

Medium Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04578-SU	DWS11/FR	Smooth White	Frosted Glass	2	60	11.5(dia) x 5.3(h)
04586-SU	DWS13/FR	Smooth White	Frosted Glass	2	60	13.0(dia) x 6.3(h)
04590-SU	DWS15/FR	Smooth White	Frosted Glass	3	60	15.3(dia) x 5.5(h)


GU24 Base | Lamps Included

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04340-SU	DWS11/AL/GU24/1-13/ES	Smooth White	Alabaster Glass	1	13	11.3(dia) x 5.3(h)
04541-SU	DWS11/FR/GU24/1-18/ES	Smooth White	Frosted Glass	1	18	11.3(dia) x 5.0(h)
04533-SU	DWS13/FR/GU24/2-18/ES	Smooth White	Frosted Glass	2	18	13.3(dia) x 6.0(h)

Decorative Dome Style

Alabaster Lens

- Surface Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- UL Listed



LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
46060-SU	A DAB13/AL	Antique Bronze	Alabaster Glass	2	60	13.0(dia) x 6.0(h)
46040-SU	B DAB13/TS	Antique Brown	Tea Stain Glass	2	60	13.0(dia) x 8.0(h)

Decorative Dome Style

Alabaster Lens

- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed





Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
46000-SU	A S1000A	Weathered Bronze	Alabaster Glass	3	60	15.4(dia) x 7.9(h)
46005-SU	B S1010A	Weathered Bronze	Alabaster Glass	3	60	15.4(dia) x 11.4(h)

Decorative Dome Style

Alabaster Lens

- Pendant Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
46030-SU	A DBP15/AL	Dusted Brown	Alabaster Glass	3	60	12.0(dia) x 24.5(h) 48" Cord
46035-SU	B DBC18/AL	Dusted Brown	Alabaster Glass	3	60	13.8(dia) x 16.3(h)
46010-SU	C S1050A	Satin Nickel	Alabaster Glass	3	60	13.3(dia) x 11.0(h)

Globe Style

White Lens

- Surface Mount
- 120 volts
- Metal & Glass Body
- UL Listed



Medium Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04460-SU	GLO6/PB	Polished Brass	White Glass	1	60	6.0(dia) x 7.0(h)
04475-SU	GLO8/PB	Polished Brass	White Glass	1	100	8.0(dia) x 9.0(h)

GU24 Base | Lamps Included

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04461-SU	GLO6/PB/GU24/1-18/ES	Polished Brass	White Glass	1	18	6.0(dia) x 7.0(h)
04477-SU	GLO8/PB/GU24/1-18/ES	Polished Brass	White Glass	1	18	8.0(dia) x 9.0(h)

Globe Style

White Lens

- Surface Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04455-SU	GLO6/WH	White	White Glass	1	60	6.0(dia) x 7.0(h)
04470-SU	GLO8/WH	White	White Glass	1	100	8.0(dia) x 9.0(h)

Globe Style

White Lens

- Surface Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed




Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04467-SU	GLO6/BN	Brushed Nickel	Alabaster Glass	1	60	6.0(dia) x 7.0(h)
04476-SU	GLO8/BN	Brushed Nickel	Alabaster Glass	1	100	8.0(dia) x 9.0(h)

Drum Style

Semi Frosted Lens

- Surface Mount
- 120 volts
- GU24 Base
- Uses Spirals Fluorescent Bulb(s)
- Metal & Glass Body
- Bulb(s) Included




LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04426-SU	KIT6/CH/GU24/1-18/ES	Chrome	Semi Frosted Glass	1	18	6.8(dia) x 4.3(h)
04436-SU	KIT8/CH/GU24/2-18/ES	Chrome	Semi Frosted Glass	2	18	8.8(dia) x 4.5(h)
04446-SU	KIT10/CH/GU24/2-18/ES	Chrome	Semi Frosted Glass	2	18	10.8(dia) x 5.0(h)

Drum Style

Clear/White Lens

- Surface Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed




LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04425-SU	KIT6/CH	Chrome	Clear/White Glass	1	60	6.8(dia) x 4.3(h)
04435-SU	KIT8/CH	Chrome	Clear/White Glass	2	60	8.8(dia) x 4.5(h)
04445-SU	KIT10/CH	Chrome	Clear/White Glass	2	60	10.8(dia) x 5.0(h)

Drum Style

White Lens

- Surface Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed




LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
08210-SU	KIT8/WH	White	Clear/White Glass	2	60	8.8(dia) x 4.5(h)
08220-SU	KIT10/WH	White	Clear/White Glass	2	60	10.8(dia) x 5.0(h)

Fluorescent Circline Style

AM series

- Surface Mount
- 120 volts
- 4-Pin Base
- Uses Circline Bulb(s)
- UL Listed



LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04385-SU	AM22	White	White Lens	1	22	11.0(dia) x 3.3(h)
04400-SU	AM32	White	White Lens	1	32	14.0(dia) x 3.3(h)
04415-SU	AM54	White	White Lens	2	22 x 32	14.0(dia) x 3.3(h)


GU24 Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04972-SU	AM32	White	White Lens	2	23	14.0(dia) x 3.3(h)

Mushroom Ribbed Frosted

Shallow

- Surface Mount
- 120 volts
- 4-Pin Base
- Uses Circline Bulb(s)
- UL Listed




LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04960-SU	AM22S/FR	White	Ribbed Mushroom	1	22	11.0(dia) x 3.6(h)
04975-SU	AM32/SFR	White	Ribbed Mushroom	1	32	14.0(dia) x 4.0(h)
04985-SU	AM54	White	Ribbed Mushroom	2	22 x 32	14.0(dia) x 4.0(h)

Mushroom White

Shallow

- Surface Mount
- 120 volts
- 4-Pin Base
- Uses Circline Bulb(s)
- UL Listed



LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04965-SU	AM22WM	White	White Mushroom	1	22	11.0(dia) x 3.8(h)
04978-SU	AM32	White	White Mushroom	1	32	13.75(dia) x 4.0(h)
04990-SU	AM54	White	White Mushroom	2	22 x 32	14.0(dia) x 4.0(h)

Fluorescent Circline Style

Chrome series

- Surface Mount
- 120 volts
- 4-Pin Base
- Uses Circline Bulb(s)
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04375-SU	22/CR	Chrome	Open	1	22	8.5(dia) x 3.5(h)
04390-SU	32/CR	Chrome	Open	1	32	12.3(dia) x 3.5(h)
04405-SU	54/CR	Chrome	Open	2	22 x 32	12.3(dia) x 3.5(h)

Fluorescent Circline Style

White series

- Surface Mount
- 120 volts
- 4-Pin Base
- Uses Circline Bulb(s)
- UL Listed




Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04380-SU	22/WH	White	Open	1	22	8.5(dia) x 3.5(h)
04395-SU	32/WH	White	Open	1	32	12.3(dia) x 3.5(h)
04410-SU	54/WH	White	Open	2	22 x 32	12.3(dia) x 3.5(h)



Decorative Bracket Style

Alabaster Lens

- Surface Mount
- 120 volts
- GU24 Base
- Uses Spirals Fluorescent Bulb(s)
- Metal & Glass Body
- UL Listed
- Bulb(s) Included



LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04286-SU	FCM16/AL/GU24/2-18/ES	White	Alabaster Glass	2	18	16.0(dia) x 4.8(h)

Deep Beam

Ceiling Fixture

- Surface Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04565-SU	DB1	Beige	Open	1	60	6.4(dia) x 4.1(h)
04570-SU	DB2	Beige	Open	2	60	10.8(dia) x 2.3(h)

Classic Style

Ceiling Fixture

- Surface Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04540-SU	112/PC/WH (Pull Chain)	Floral Ornament	White Glass	2	60	11.4(l) x 11.4(w) x 5.2(h)
04545-SU	112/KL/WH	Floral Ornament	White Glass	2	60	11.4(l) x 11.4(w) x 5.2(h)

Wall Mount

Horizontal

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04523-SU	B14	White	White Textured Glass	2	60	14.0(l) x 4.3(w) x 4.5(h)
04520-SU	B14/GCO	White	White Textured Glass	2	60	14.0(l) x 4.3(w) x 4.5(h)
04555-SU	B12/WH	White	White Textured Glass	2	60	11.0(l) x 4.8(w) x 5.0(h)

Wall Mount

Vertical

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04525-SU	B7/WH	White	White Glass	1	60	4.5(l) x 4.5(w) x 7.5(h)

Wall Mount

Tulip

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04530-SU	TUL	Polished Brass	Frosted White Glass	1	60	5.5(l) x 4.5(w) x 7.8(h)

5 Branch Chandelier

- Pendant Mount
- 120 volts
- Candelabra (E12) Base
- Metal Body
- UL Listed
- Bulb(s) *not* Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04447-SU	CH5WT	White Textured	Open	5	60	18.0(l) x 18.0(w) x 13.0(h) 18" Chain

Pineapple Style

Ceiling Fixture

- Surface Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04500-SU	PIN3/4	Polished Brass	Clear/Textured Glass	1	60	5.4(l) x 5.4(w) x 6.8(h)

Fluorescent Under Cabinet

Linkable

- Under Cabinet Mount
- 120 volts
- Mini Bi-Pin (G5) Base
- Uses Fluorescent Tubular Bulb(s)
- Bulb(s) Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
53030-SU	LI12T4/CW	White	Frosted	1	12	17.4(l) x 0.8(w) x 1.4(h)
53050-SU	LI16T4/CW	White	Frosted	1	16	19.1(l) x 0.8(w) x 1.4(h)
53056-SU	LI24T4/CW	White	Frosted	1	24	34.4(l) x 0.8(w) x 1.4(h)



Outdoor

Nautical Style

- Wall Mount
- 120 volts
- Polycarbonate Body
- UL Listed - Wet Location



Medium Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47200-SU	DOD/NC/BK/CL/MED	Black	Acrylic Lens	1	60	10.1(l) x 11.0(w) x 13.0(h)
47202-SU	DOD/NC/WH/CL/MED	White	Acrylic Lens	1	60	10.1(l) x 11.0(w) x 11.0(h)

GU24 Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
48200-SU	DOD/NC/BK/CL/GU24	Black	Acrylic Lens	1	18	10.1(l) x 11.0(w) x 13.0(h)
48202-SU	DOD/NC/WH/CL/GU24	White	Acrylic Lens	1	18	10.1(l) x 11.0(w) x 13.0(h)

Octagonal Style

- Surface Mount
- 120 volts
- Polycarbonate Body
- UL Listed - Wet Location



Medium Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47240-SU	DOD/OC/WH/FR/MED	White	Acrylic Lens	1	75	10.3(l) x 10.3(w) x 5.8(h)
47238-SU	DOD/OC/BK/FR/MED	Black	Acrylic Lens	1	75	10.3(l) x 10.3(w) x 5.8(h)

GU24 Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
48242-SU	DOD/OC/WH/FR/GU24	White	Acrylic Lens	1	18	10.3(l) x 10.3(w) x 5.8(h)
48240-SU	DOD/OC/BK/FR/GU24	Black	Acrylic Lens	1	18	10.3(l) x 10.3(w) x 5.8(h)

Orchid Style Collection

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Polycarbonate Body
- UL Listed - Wet Location



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47220-SU	DOD/ORD/BK/CL/MED	Black	Clear Acrylic Lens	1	60	6.5(l) x 6.5(w) x 10.5(h)
47222-SU	DOD/ORD/WH/CL/MED	White	Clear Acrylic Lens	1	60	6.5(l) x 6.5(w) x 10.5(h)

Orchid Style Collection

- Post Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Polycarbonate Body
- UL Listed - Wet Location



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47216-SU	DOD/ORP/BK/CL/MED	Black	Clear Acrylic Lens	1	60	8.0(l) x 8.0(w) x 16.0(h)
47218-SU	DOD/ORP/WH/CL/MED	White	Clear Acrylic Lens	1	60	8.0(l) x 8.0(w) x 16.0(h)

Orchid Style Collection

- Post Mount
- 120 volts
- GU24 Base
- Uses Spirals Fluorescent Bulb(s)
- Polycarbonate Body
- UL Listed - Wet Location
- Bulb(s) Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
48220-SU	DOD/ORP/BK/FR/GU24	Black	Frosted Acrylic Lens	1	18	8.0(l) x 8.0(w) x 16.0(h)
48222-SU	DOD/ORP/WH/FR/GU24	White	Frosted Acrylic Lens	1	18	8.0(l) x 8.0(w) x 16.0(h)

Orchid Style Collection

- Wall Mount
- 120 volts
- GU24 Base
- Uses Spirals Fluorescent Bulb(s)
- Polycarbonate Body
- UL Listed - Wet Location



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
48224-SU	DOD/ORD/BK/FR/GU24	Black	Frosted Acrylic Lens	1	18	6.5(l) x 6.5(w) x 10.5(h)
48226-SU	DOD/ORD/WH/FR/GU24	White	Frosted Acrylic Lens	1	18	6.5(l) x 6.5(w) x 10.5(h)

Orchid Style Collection

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Polycarbonate Body
- UL Listed - Wet Location



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47224-SU	DOD/ORU/BK/CL/MED	Black	Clear Acrylic Lens	1	60	8.0(l) x 8.0(w) x 16.0(h)
47226-SU	DOD/ORU/WH/CL/MED	White	Clear Acrylic Lens	1	60	8.0(l) x 8.0(w) x 16.0(h)

Orchid Style Collection

- Wall Mount
- 120 volts
- GU24 Base
- Uses Spirals Fluorescent Bulb(s)
- Polycarbonate Body
- UL Listed - Wet Location
- Bulb(s) Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
48228-SU	DOD/ORU/BK/FR/GU24	Black	Frosted Acrylic Lens	1	18	8.0(l) x 8.0(w) x 16.0(h)
48230-SU	DOD/ORU/WH/FR/GU24	White	Frosted Acrylic Lens	1	18	8.0(l) x 8.0(w) x 16.0(h)

Carriage & Coach Style Collection

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47090-SU	ODI1090/BK	Black	Clear Beveled Glass	1	60	8.0(l) x 6.3(w) x 14.0(h)
47070-SU	ODI1070/BK	Black	Clear Beveled Glass	1	60	8.0(l) x 6.0(w) x 15.9(h)

Carriage & Coach Style Collection

Up Style

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47130-SU	ODI1130/BK	Black	Clear Beveled Glass	1	60	7.8(l) x 6.0(w) x 14.0(h)
47140-SU	ODI1140/WH	White	Clear Beveled Glass	1	60	7.8(l) x 6.0(w) x 14.5(h)

Carriage & Coach Style Collection

Down Style

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47110-SU	ODI1110/BK	Black	Clear Beveled Glass	1	60	7.5(l) x 6.3(w) x 14.1(h)
47120-SU	ODI1120/WH	White	Clear Beveled Glass	1	60	7.5(l) x 6.3(w) x 16.4(h)

Carriage & Coach Style Collection

Post Mounted Fixture

- Post Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47150-SU	ODI1150/BK	Black	Clear Beveled Glass	1	60	5.9(l) x 5.9(w) x 12.4(h)
47160-SU	ODI1160/WH	White	Clear Beveled Glass	1	60	5.9(l) x 5.9(w) x 12.1(h)

Carriage Style

Outdoor Wall Sconce

- Wall Mount
- 120 volts
- Polycarbonate Body
- UL Listed - Wet Location



Medium Base


Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47232-SU	DOD/CS/WH/WH/MED	White	Acrylic Lens	1	60	7.0(l) x 6.0(w) x 9.0(h)

GU24 Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
48234-SU	DOD/CS/WH/WH/GU24	White	Acrylic Lens	1	18	7.0(l) x 6.0(w) x 9.0(h)

Century Style

- Surface Mount
- 120 volts
- Polycarbonate Body
- UL Listed - Wet Location



LED
Upgradable
(See back page)

Medium Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47234-SU	DOD/CC/BK/FR/MED	Black	Acrylic Lens	2	60	10.3(l) x 10.3(w) x 5.5(h)
47236-SU	DOD/CC/WH/FR/MED	White	Acrylic Lens	2	60	10.3(l) x 10.3(w) x 5.5(h)


GU24 Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
48236-SU	DOD/CC/BK/FR/GU24	Black	Acrylic Lens	2	18	10.3(l) x 10.3(w) x 5.5(h)
48238-SU	DOD/CC/WH/FR/GU24	White	Acrylic Lens	2	18	10.3(l) x 10.3(w) x 5.5(h)

Eurostyle Oblong Linear

Outdoor Wall Sconce

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Polycarbonate Body
- UL Listed - Wet Location




LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47204-SU	DOD/EBL/BK/FR/MED	Black	White Lens	1	60	10.6(l) x 4.3(w) x 6.0(h)
47206-SU	DOD/EBL/WH/FR/MED	Black	White Lens	1	60	10.6(l) x 4.3(w) x 6.0(h)
48204-SU	DOD/EBL/BK/FR/GU24	Black	White Lens	1	18	10.6(l) x 4.3(w) x 6.0(h)

Eurostyle Oblong Hooded

Outdoor Wall Sconce

- Wall Mount
- 120 volts
- Polycarbonate Body
- UL Listed - Wet Location



LED
Upgradable
(See back page)

Medium Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47208-SU	DOD/EBH/BK/FR/MED	Black	White Lens	1	60	10.5(l) x 4.3(w) x 6.0(h)
47210-SU	DOD/EBH/WH/FR/MED	White	White Lens	1	60	10.5(l) x 4.3(w) x 6.0(h)


GU24 Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
48208-SU	DOD/EBH/BK/FR/GU24	Black	White Lens	1	18	10.5(l) x 4.3(w) x 6.0(h)
48210-SU	DOD/EBH/WH/FR/GU24	White	White Lens	1	18	10.5(l) x 4.3(w) x 6.0(h)

Eurostyle Grid

Outdoor Wall Sconce

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Polycarbonate Body
- UL Listed - Wet Location



LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47212-SU	DOD/EG/BK/FR/MED	Black	White Lens	1	75	10.3(dia) x 5.0(h)
47214-SU	DOD/EG/WH/FR/MED	White	White Lens	1	75	10.3(dia) x 5.0(h)

Globe

Post Mounted Fixture

- Pole Mount
- 120 volts
- Medium (E26) Base
- Polycarbonate Body
- UL Listed - Wet Location



10" Globe

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47242-SU	DOD/10GL/BK/WH/MED	Black	White Acrylic Lens	1	100	10.0(dia) x 12.8(h)
47246-SU	DOD/10GL/BK/CL/MED	Black	Clear Prismatic Acrylic	1	100	10.0(dia) x 12.8(h)
47244-SU	DOD/10GL/WH/WH/MED	White	White Acrylic Lens	1	100	10.0(dia) x 12.8(h)


12" Globe

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47228-SU	DOD/12GL/BK/WH/MED	Black	White Lens	1	100	12.0(dia) x 12.0(h)
47229-SU	DOD/12GL/BK/CL/MED	Black	Clear Prismatic Acrylic	1	100	12.0(dia) x 12.0(h)
47227-SU	DOD/12GL/WH/WH/MED	White	White Acrylic Lens	1	100	12.0(dia) x 12.0(h)



Protek Style

- Surface Mount
- 120 volts
- GU24 Base
- Uses Spirals Fluorescent Bulb(s)
- Polycarbonate Body
- UL Listed - Wet Location
- Bulb(s) Included



LED
Upgradable
(See back page)

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
48216-SU	DOD/PTR/BK/WH/GU24	Black	White Lens	2	18	9.4(l) x 9.4(w) x 4.3(h)
48218-SU	DOD/PTS/BK/WH/GU24	Black	White Lens	2	18	10.0(l) x 10.0(w) x 4.5(h)

Globe Style

- Wall Mount
- 120 volts
- Metal & Glass Body
- UL Listed



Medium Base

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47000-SU	ODI1000/BK	Black	White Glass	1	60	6.7(l) x 6.0(w) x 7.7(h)



G24q1 Base | Lamps Included

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
48000-SU	ODF1000/BK	Black	White Lens	1	13	6.9(l) x 6.0(w) x 7.7(h)
48030-SU	ODF1015/WH (Photocell)	White	White Lens	1	13	6.9(l) x 6.0(w) x 7.7(h)
48020-SU	ODF1010/WH	White	White Lens	1	13	6.9(l) x 6.0(w) x 7.7(h)

Energy Saving Jar Style

- Wall Mount
- 120 volts
- GU24 Base
- Uses Spirals Fluorescent Bulb(s)
- Metal & Glass Body
- Bulb(s) Included



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
48041-SU	ODF1041	Black	Acrylic Lens	1	13	4.4(l) x 6.0(w) x 7.9(h)
48060-SU	ODF1050/WH	White	Acrylic Lens	1	13	4.4(l) x 6.0(w) x 8.3(h)

Jar Style

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47040-SU	ODI1040/BK	Black	Clear Glass	1	100	5.8(l) x 4.5(w) x 7.5(h)
47050-SU	ODI1050/WH	White	Clear Glass	1	100	5.8(l) x 4.5(w) x 7.5(h)

Oval Style

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47020-SU	ODI1020/BK	Black	Frosted Glass	1	100	4.4(l) x 4.1(w) x 8.0(h)
47030-SU	ODI1030/WH	White	Frosted Glass	1	100	4.4(l) x 4.1(w) x 8.7(h)

Floodlight

- Wall Mount
- 120 volts
- Medium (E26) Base
- Uses PAR38 Bulb(s)
- Metal Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04913-SU	PL2H/BK	Black	Clear Glass	2	60	8.5(l) x 4.3(w) x 4.3(h)
04918-SU	PL2H/WH	White	Clear Glass	2	60	8.5(l) x 4.3(w) x 4.3(h)

Porch Light

- Surface Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Metal & Glass Body
- UL Listed



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
47095-SU	ODI1095/BK	Black	Frosted Glass	2	60	9.5(l) x 9.5(w) x 5.1(h)
47096-SU	ODI1096	White	Frosted Glass	2	60	9.5(l) x 9.5(w) x 5.1(h)

Vaporproof

- Surface Mount
- 120 volts
- Medium (E26) Base
- Uses Standard Bulb(s)
- Aluminium Body
- UL Listed - Wet Location



Ask about VT100 colored glass options

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04900-SU	VT100 (1/2" Knockout)	Metallic	Clear Glass	1	100	4.3(dia) x 9.0(h)
04987-SU	VT201 (3/4" Knockout)	Metallic	Clear Glass	1	200	5.5(dia) x 11.6(h)
04901-SU	VT200 (1/2" Knockout)	Metallic	Clear Glass	1	200	5.5(dia) x 11.6(h)

Vaporproof

- Wall Mount
- 120 volts
- Medium (E26) Base
- Aluminium Body
- UL Listed - Wet Location



Ask about VTA100 colored glass options

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04902-SU	VTA100	Metallic	Clear Glass	1	150	4.2(l) x 7.2(w) x 9.5(h)
04903-SU	VTA200	Metallic	Clear Glass	1	200	5.7(l) x 5.9(w) x 12.1(h)

High Bay

- Pendant Mount
- 120/277 volts
- Mogul (E39) Base
- Uses SL45 - SL105 Bulb(s)
- Polycarbonate Body
- UL Cable & Electroceramic



Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04830-SU	HBFL16PC/P	Frosted	Polycarbonate Lens	1	105	16.4(dia) x 16.0(h)
04805-SU	HB175MP16PC/PS	Frosted	Polycarbonate Lens	1	175	22.00(dia) x 27.76(h)

High Bay Lenses

Item#	Description	Finish	Lens	Lights	Max Watts	Dimensions(in)
04828-SU	HB16PC/LENS		Polycarbonate Lens	N/A		16.0(dia) x 1.5(h)
04814-SU	HB22PC/LENS		Polycarbonate Lens	N/A		22.3(dia) x 2.2(h)

Wall Packs

- Wall Mount
- Black
- Polycarbonate Lens
- Die Cast Aluminum Body
- UL Listed - Wet Location
- Bulb(s) Included



Item#	Description	Volts	Base	Bulb	Lights	Max Watts	Dimensions(in)
04921-SU	WPS50HPS/PC	120	Medium (E26)	HPS ED17	1	50	8.5(l) x 7(w) x 9(h)
04930-SU	WPS50MH	120	Medium (E26)	MH ED17	1	50	8.5(l) x 7(w) x 9(h)
04942-SU	WPL250HPS	120/277	Mogul (E39)	HPS ED23	1	250	16.5(l) x 9.5(w) x 9(h)
04958-SU	WPXL400MH/PS	120/277	Mogul (E39)	MH ED37	1	400	17(l) x 12.9(w) x 9.1(h)

Tall Pack

- Wall Mount
- Bronze
- Polycarbonate Lens
- Plastic Housing Body
- UL Listed - Wet Location
- Bulb(s) Included



Item#	Description	Volts	Base	Bulb	Lights	Max Watts	Dimensions(in)
04905-SU	TPS35/PC	120	Medium (E26)	HPS ED17	1	35	6.8(l) x 4.9(w) x 11(h)
04922-SU	TPFR26/PC/ES	120	G23	PL PL 2-Pin	2	13	3.5(l) x 6.0(w) x 12.3(h)
04920-SU	TPF26/PC	120	G23	PL PL 2-Pin	2	13	2.8(l) x 6.0(w) x 12.5(h)
04924-SU	TPF42/PC/MV	120	GX24Q-4	PL PLT 4-Pins	1	42	5.0(l) x 6.8(w) x 11.0(h)

Wall Pack

- Wall Mount
- Bronze
- High Impact Tempered Glass
- Die Cast Aluminum Body
- UL Listed - Wet Location
- Bulb(s) Included



Item#	Description	Volts	Base	Bulb	Lights	Max Watts	Dimensions(in)
04943-SU	WPLF242/MV/ES	120/277	GX24Q-4	PL PLT 4-Pins	2	42	11(l) x 17(w) x 10(h)

Cut Off Style

- Wall Mount
- Bronze
- High Impact Tempered Glass
- Die Cast Aluminum Body
- UL Listed - Wet Location
- Bulb(s) Included



Item#	Description	Volts	Base	Bulb	Lights	Max Watts	Dimensions(in)
04925-SU	WPMF242/CO/MV/ES	120/277	GX24Q-4	PL PLT 4-Pins	2	42	8.5(l) x 12(w) x 6.5(h)
04927-SU	WPM100S/CO	120	Medium (E26)	HPS ED17s	1	100	10.9(l) x 7.8(w) x 6.3(h)

Dual Directional

- Wall Mount
- Bronze
- High Impact Tempered Glass
- Die Cast Aluminum Body
- UL Listed - Wet Location
- Bulb(s) Included



Item#	Description	Volts	Base	Bulb	Lights	Max Watts	Dimensions(in)
04946-SU	WMHMF42/PC	120/277	GX24Q-4	PL PLT 4-Pin	1	42	14.5(l) x 5.5(w) x 7.5(h)

Floodlights - Vandalproof

- Surface Mount
- Dark Bronze
- Polycarbonate Lens
- Die Cast Aluminum Body
- UL Listed - Wet Location
- Bulb(s) Included



Item#	Description	Volts	Base	Bulb	Lights	Max Watts	Dimensions(in)
04919-SU	VANMM175/PS	120/277	Medium (E26)	MH ED17	1	175	12.5(l) x 12.5(w) x 8.6(h)
04917-SU	VANMF/242/MV/ES	120	GX24Q-4	PL PLT 4-Pin	2	42	13.0(l) x 13.0(w) x 10.5(h)

Floodlight

- Wall Mount
- Bronze
- High Impact Tempered Glass
- Die Cast Aluminum Body
- UL Listed - Wet Location
- Bulb(s) Included



Item#	Description	Volts	Base	Bulb	Lights	Max Watts	Dimensions(in)
04994-SU	FLS70S	120	Medium (E26)	HPS ED17	1	70	9(l) x 6.8(w) x 7(h)
05012-SU	FLM150S	120	Medium (E26)	HPS ED23	1	150	9.1(l) x 9.1(w) x 6.8(h)

LED Retrofit Light Engines


» 2 Mounting Options

- Junction box screws
- Center threaded nipple

» Mounting & Wiring Accessories included

Sunlite's LED light engines allow you to convert your existing light fixtures into state of the art LED fixtures. Take advantage of their high lumen output and **energy saving LEDs** while producing an even light spread. The Sunlite LED light engines are suitable for most fixtures and are available in a wide range of sizes and color temperatures.

Suitable for damp locations



Upgrade your lighting while keeping your decor

25,000
Lamp Hours



700 Lumens

3"



1100 Lumens

4"



1600 Lumens

6"



2100 Lumens

7"

Available in 5 Color Temperatures

2700k

3000k

3500k

4000k

5000k



Ask about our emergency backup options

3 year warranty

TERMS & CONDITIONS

OPEN ACCOUNT

New accounts are subject to approval. For credit applications, customers should submit a Sunlite credit application, and allow two weeks for processing. You will be notified accordingly.

PAYMENT TERMS

Net 30 days subject to credit approval. All past due invoices are subject to a 2.5% interest charge, each month the invoice remains unpaid. C.O.D. A check must be presented to the courier upon delivery of all C.O.D. shipments. All C.O.D. fees are the responsibility of the customer. Drop shipment service is not available on C.O.D. orders.

MINIMUM ORDER

There is a \$100 minimum order. Orders under \$100 will be charged a \$10 small order charge.

Special Order

Special order are non-returnable and non-refundable. Ones the order is confirmed, a special cannot be cancelled. Please take note of items that are a special order.

Damages/Shortages

Claims for Shortage or shipments, must be claimed within 72 hours of receipt of the order. We regret we cannot issue credit for merchandise that has been damaged in transit. The responsibility of such damage(s) shall be taken by the carrier.

ADDING TO AN ORDER

We will do our best to add to an existing order. However, if it's not possible, we will treat it as a new order and must comply with all terms of a new order.

BACK ORDERS

All back orders will be shipped as soon as possible. If the customer has a "NO BACK ORDER POLICY", it must be communicated at the time the order is placed. If original order is subject to freight allowance, and backorder falls below minimum freight allowed, the back order shipment may be subject to freight charges.

CANCELING AN ORDER

We will try to comply with your request to cancel an order. However, we can't be responsible for cancellations. Canceling an order may be subject to a restocking charge, depending on the status of the order in our system.

SHIPPING & DROP-SHIP

We provide FREE delivery in the local N.Y. Tri-State area with minimum order. A charge will be applied to shipments delivered to a destination other than the customer's physical location for orders less than \$350. Any damages or additional standard fees (e.g. handling charge, re-delivery charge, etc...), are at the sole responsibility of the ordering customer.

FREIGHT

All shipments are FOB Brooklyn, NY. Full freight is allowed on orders totaling \$1,000.00 or more for product delivering east of the Mississippi, and \$1,200.00 for orders delivering west of the Mississippi. Freight charges which were originally allowed, may be added to an outstanding invoice that is not paid within its allowed terms (usually 30 days). The freight allowance EXCLUDES any oversized boxes that are greater than four feet (i.e. 4 ft. fluorescent lamps, fixtures, etc...).

Handling Fees

For all FedEx, UPS, USPS and other express services shipped on customer's personal accounts and 3rd party accounts, each order is subject to as much as a \$6.50 handling charge per box based on dimensional weight.

PACKAGING

All packages are packed with great care using the best packing methods available. If damages occur in transit, "DO NOT REFUSE THE SHIPMENT." It will cause unnecessary shipping expenses and delays in your order. File a claim with the courier for the loss or damage. The courier is responsible for breakage during transit. We will try to assist you in collecting your claims for loss or damage.

RETURNS

A written RMA must accompany all returns. A restocking charge may apply to all returned merchandise.

PRICES

Prices are subject to change without any notice.

SPECIFICATIONS

Due to the rapid advancement of LED technology, specifications are subject to change without notice.

PRODUCT & DESCRIPTIONS

We are not responsible for any typographical errors.

SIZES & MEASUREMENTS

All sizes and measurements are in inches, except where specified. Actual product sizes may vary.

WARRANTY

Sunshine Lighting, Inc. (Sunlite) warrants most of our LED products for a period of one to five (1-5) years from the date of delivery (specific to the individual product warranty on the packaging or available at www.sunlite.com) provided that said products have been installed and maintained in accordance with Sunlite's installation instructions. This warranty is limited to the repair or replacement of defective material or entire product and shall be determined at the discretion of the manufacturer as to what action is taken.

This warranty is limited to the product specifically and in no means warrants any incurred labor costs by any party involved.

Sunlite extends its warranty to the immediate buyer.

The immediate buyer must receive a Return Material Authorization (RMA) number prior to the return and the return must be visibly marked with the RMA number and the product must be returned (shipping prepaid) to Sunlite at 744 Clinton St. Brooklyn, NY. 11231.

The return must be within 30 days of receiving the RMA from Sunlite.

The warranty is subject to the following provisions:

A liability under this warranty is limited to free repair or replacement (at the manufacturers' discretion) of any operational defect and shall not extend to any other damages in connection to the misuse or mishandling of said product.

The warranty shall not apply to units which have not been handled in accordance with normal conditions of use, or units which have been subsequently processed or modified in any way, or units which have been subject to any damage affecting the overall operation of the Sunlite product.

Sunlite warranties on component parts of materials not manufactured by Sunlite may differ from the terms specified herein and will supersede Sunlite's warranty.

The manufacturers' liability will also not apply in cases where defects are not reported within 30 days after they have become recognizable by the initial buyer or by the users of the product.

***Building and safety codes vary widely throughout the world. Sunlite does not control nor will it be responsible for the selection of product supplied by others, configurations, or the installation of the product in a ceiling, wall or other area. Sunlite makes no other warranties or representation, either expressed or implied, concerning product fitness for a particular purpose. Sunlite will fabricate to dimensions shown on Sunlite supporting documentation but will not take responsibility for failure of submitting party(s) shop drawing dimensions against job site conditions. In no event will Sunlite be liable for direct, indirect, special or consequential damages including but not limited to loss of profit or use. Sunlite reserves the right to inspect or have returned all products alleged to be defective excluding shipping and handling costs. Sunlite makes no other warranty, expressed or implied, regardless of product. ***

Sunshine Lighting
744 Clinton Street
Brooklyn, NY 11231

