KAY JAY SERVICES

Jewel

High performance, low maintenance floor finish

This liquid floor finish is formulated with a unique polymer blend for exceptional toughness and durability. It consists of 20% non-volatile metal cross-linked acrylic solids to offer a durable gloss, even under high-traffic conditions. In can be used in both spray buffing and burnishing operations, and its superior scratch and scuff resistance reduces the frequency of restoration and recoating operations.

Linoleum

Use On:

• Tile

Vinyl

- Hardwood

Features and Benefits

- Retains its remarkable "wet-look" gloss with only limited maintenance.
- Provides a slip-resistant, transparent finish.
- Protect floors against black marks, detergents and water damage.
- Creates a hard, durable finish making it ideal for floors that are subject to high traffic.

Properties

Appearance	White Liquid
Fragrance	Mild
Stability	1 year (damaged by freezing)
Solids content	20% by wt.
Gloss (Initial)	5
Gloss (After Buffing)	5
Durability	3
Water/Detergent Resistance	5
Leveling	5
Removabiliy/Stripability	5

Directions Complete directions on product label

Apply at a rate of 1,850 square feet per gallon. Two coats are recommended for spray buffing, 4 coats are recommended for burnishing operations.

Maintenance:

Dust mop daily using *Clear Attractions Dust Mop Treatment*. Dirt and dust can abrade and scratch your finishes, destroying their natural luster.

Damp mop regularly with *Excel Floor Cleaner*. The highest gloss comes only from clean floors. Dirt acts as a barrier to light reflection, causing your floors to look dull and lifeless.

CAS Number

7732-18-5 111-77-3

Arbitrary scale of 1 - 5, 5 = BEST

Active Ingredients

Water	
Diethylene Glycol Methyl Ether	

Safety

Caution: Keep out of the reach of children.

DOT Shipping (ground transportation)

None
None
None
None

