

2023 SUMMER LED Lamps Special

KAY JAY
SERVICES & SUPPLIES
Your One-Stop Shop

Offer Expires 09/01/23

General Purpose Lamps 40/60/75/100 Watt Equivalent



Card



3 Pack Box

120 Volts | Medium Screw (E26)

| Item# | Description | Watt | Eq. W | Lumen | LPW | CRI | Finish | Kelvin | Hours | MOL(in) | Features | CTN |
|-------|-------------|------|-------|-------|-----|-----|--------|--------|-------|---------|----------|-----|
|-------|-------------|------|-------|-------|-----|-----|--------|--------|-------|---------|----------|-----|

40 Watt Equivalent | Dimmable

| | | | | | | | | | | | | |
|----------|--------------------|---|----|-----|----|----|-------|-------|-------|------|--------|---|
| 88347-SU | A19/LED/6W/E/D/27K | 6 | 40 | 450 | 75 | 80 | White | 2700K | 25000 | 4.13 | DIM,ES | 6 |
| 88348-SU | A19/LED/6W/E/D/40K | 6 | 40 | 480 | 80 | 80 | White | 4000K | 25000 | 4.13 | DIM,ES | 6 |
| 88234-SU | A19/LED/6W/E/D/50K | 6 | 40 | 450 | 75 | 80 | White | 5000K | 25000 | 4.13 | DIM,ES | 6 |

60 Watt Equivalent | Dimmable

| | | | | | | | | | | | | |
|----------|--------------------|---|----|-----|----|----|-------|-------|-------|------|--------|---|
| 88379-SU | A19/LED/9W/E/D/27K | 9 | 60 | 800 | 89 | 80 | White | 2700K | 25000 | 4.13 | DIM,ES | 6 |
| 88391-SU | A19/LED/9W/E/D/30K | 9 | 60 | 800 | 89 | 80 | White | 3000K | 25000 | 4.13 | DIM,ES | 6 |
| 80693-SU | A19/LED/9W/E/D/50K | 9 | 60 | 800 | 89 | 80 | White | 5000K | 25000 | 4.13 | DIM,ES | 6 |

75 Watt Equivalent | Dimmable

| | | | | | | | | | | | | |
|----------|------------------------|----|----|------|----|----|-------|-------|-------|------|--------|----|
| 88351-SU | A19/LED/11W/E/D/40K | 11 | 75 | 1100 | 92 | 80 | White | 4000K | 25000 | 3.05 | DIM,ES | 6 |
| 88308-SU | A19/LED/12W/E/D/50K | 12 | 75 | 1100 | 92 | 81 | White | 5000K | 25000 | 4.29 | DIM,ES | 12 |
| 80743-SU | A19/LED/12W/E/D/OD/50K | 12 | 75 | 1100 | 92 | 80 | White | 5000K | 25000 | 4.42 | DIM,ES | 6 |

100 Watt Equivalent | Dimmable

| | | | | | | | | | | | | |
|----------|-------------------|----|-----|------|-----|----|-------|-------|-------|------|--------|---|
| 80874-SU | A19/LED/14W/27K | 14 | 100 | 1500 | 107 | 80 | White | 2700K | 15000 | 5.28 | DIM | 6 |
| 80597-SU | A19/LED/14W/D/30K | 14 | 100 | 1500 | 107 | 80 | White | 3000K | 15000 | 5.28 | DIM | 6 |
| 80879-SU | A19/LED/14W/40K | 14 | 100 | 1500 | 107 | 80 | White | 4000K | 15000 | 5.28 | DIM | 6 |
| 80809-SU | A19/LED/15W/D/50K | 15 | 100 | 1600 | 107 | 80 | White | 5000K | 25000 | 5.28 | DIM,ES | 6 |
| 80801-SU | A19/LED/15W/65K | 15 | 100 | 1600 | 107 | 80 | White | 6500K | 25000 | 5.28 | DIM,ES | 6 |

100 Watt Equivalent | Non-Dimmable | ECO

| | | | | | | | | | | | | |
|----------|---------------------|----|-----|------|-----|----|-------|-------|-------|------|--|----|
| 80848-SU | A19/LED/14W/30K/CD1 | 14 | 100 | 1500 | 107 | 80 | White | 3000K | 15000 | 4.72 | | 12 |
| 80858-SU | A19/LED/14W/50K/CD1 | 14 | 100 | 1500 | 107 | 80 | White | 5000K | 15000 | 4.72 | | 12 |

100 Watt Equivalent | Non-Dimmable | 3 Packs | ECO

| | | | | | | | | | | | | |
|----------|---------------------|----|-----|------|-----|----|-------|-------|-------|------|--|---|
| 80939-SU | A19/LED/14W/65K/3PK | 14 | 100 | 1500 | 107 | 80 | White | 6500K | 15000 | 4.72 | | 6 |
|----------|---------------------|----|-----|------|-----|----|-------|-------|-------|------|--|---|

DIM = Dimmable ES = Energy Star

General Purpose Lamps

75 /100 Watt Equivalent



120 Volts | Twist & Lock (GU24)

| Item# | Description | Watt | Eq. W | Lumen | LPW | CRI | Finish | Kelvin | Hours | MOL(in) | Features | CTN |
|-------|-------------|------|-------|-------|-----|-----|--------|--------|-------|---------|----------|-----|
|-------|-------------|------|-------|-------|-----|-----|--------|--------|-------|---------|----------|-----|

75 Watt Equivalent

| | | | | | | | | | | | | |
|----------|----------------------|----|----|------|----|----|-------|-------|-------|------|--------|---|
| 88254-SU | A19/GU24/LED/12W/27K | 12 | 75 | 1100 | 92 | 80 | White | 2700K | 25000 | 4.13 | DIM,ES | 6 |
| 88255-SU | A19/GU24/LED/12W/40K | 12 | 75 | 1100 | 92 | 80 | White | 4000K | 25000 | 4.13 | DIM,ES | 6 |
| 88256-SU | A19/GU24/LED/12W/50K | 12 | 75 | 1100 | 92 | 80 | White | 5000K | 25000 | 4.13 | DIM,ES | 6 |

100 Watt Equivalent

| | | | | | | | | | | | | |
|----------|----------------------|----|-----|------|-----|----|-------|-------|-------|------|-----|---|
| 88257-SU | A19/GU24/LED/14W/27K | 14 | 100 | 1500 | 107 | 80 | White | 2700K | 15000 | 4.13 | DIM | 6 |
| 88258-SU | A19/GU24/LED/14W/40K | 14 | 100 | 1500 | 107 | 80 | White | 4000K | 15000 | 4.13 | DIM | 6 |

3-Way LED Light Bulb

A19 / A21




120 Volts | Medium Screw (E26)

| Item# | Description | Watt | Eq. W | Lumen | LPW | CRI | Finish | Kelvin | Hours | MOL(in) | Features | CTN |
|----------|-------------------------|---------|-----------|---------------|-----|-----|--------|--------|-------|---------|----------|-----|
| 70323-SU | A19/LED/3WAY/5W-15W/30K | 5/9/15 | 40/60/100 | 500/1000/1600 | 107 | 80 | White | 3000K | 15000 | 4.59 | | 6 |
| 70324-SU | A19/LED/3WAY/5W-15W/40K | 5/9/15 | 40/60/100 | 500/1000/1600 | 107 | 80 | White | 4000K | 15000 | 4.59 | | 6 |
| 70326-SU | A19/LED/3WAY/5W-15W/50K | 5/9/15 | 40/60/100 | 500/1000/1600 | 107 | 80 | White | 5000K | 15000 | 4.59 | | 6 |
| 70327-SU | A21/LED/3WAY/6W-19W/30K | 6/12/19 | 60/75/125 | 800/1500/2100 | 111 | 80 | White | 3000K | 15000 | 5.28 | DIM | 6 |
| 70328-SU | A21/LED/3WAY/6W-19W/40K | 6/12/19 | 60/75/125 | 800/1500/2100 | 111 | 80 | White | 4000K | 15000 | 5.28 | DIM | 6 |
| 70329-SU | A21/LED/3WAY/6W-19W/50K | 6/12/19 | 60/75/125 | 800/1500/2100 | 111 | 80 | White | 5000K | 15000 | 5.28 | DIM | 6 |

General Purpose Colored

Party & Decorative



120 Volts | Medium Screw (E26)

| Item# | Description | Watt | Lumen | LPW | Color | Hours | MOL(in) | Features | CTN |
|----------|-------------------|------|-------|-----|--------|-------|---------|----------|-----|
| 80145-SU | A19/3W/B/LED | 3 | 45 | 15 | Blue | 25000 | 4.27 | | 6 |
| 80146-SU | A19/3W/G/LED | 3 | 130 | 43 | Green | 25000 | 4.27 | | 6 |
| 80147-SU | A19/3W/O/LED | 3 | 65 | 22 | Orange | 25000 | 4.27 | WILD | 6 |
| 80132-SU | A19/3W/PR/LED | 3 | 103 | 34 | Purple | 15000 | 4.27 | | 6 |
| 41527-SU | A19/3W/PR/LED/3PK | 3 | 103 | 34 | Purple | 15000 | 4.27 | | 6 |
| 80148-SU | A19/3W/R/LED | 3 | 100 | 33 | Red | 25000 | 4.27 | WILD | 6 |

Wild = Wildlife Lighting

DIM = Dimmable

ES = Energy Star

LED Dusk To Dawn A19 Light Bulb

60 Watt Equivalent



120 Volts | Medium Screw (E26)

| Item# | Description | Watt | Eq. W | Lumen | LPW | CRI | Finish | Kelvin | Hours | MOL(in) | Features | CTN |
|----------|--------------------|------|-------|-------|-----|-----|---------|--------|-------|---------|----------|-----|
| 70318-SU | A19/LED/DTD/9W/30K | 9 | 60 | 800 | 80 | 80 | Frosted | 2700K | 15000 | 4.6 | | 6 |
| 70319-SU | A19/LED/DTD/9W/50K | 9 | 60 | 800 | 80 | 80 | Frosted | 5000K | 15000 | 4.6 | | 6 |

Appliance Bulbs

40 Watt Equivalent

120 Volts | Medium Screw (E26) / Intermediate Screw (E17)



| Item# | Description | Watt | Eq. W | Lumen | LPW | CRI | Finish | Kelvin | Hours | MOL(in) | Features | CTN |
|-------|-------------|------|-------|-------|-----|-----|--------|--------|-------|---------|----------|-----|
|-------|-------------|------|-------|-------|-----|-----|--------|--------|-------|---------|----------|-----|

Medium Screw (E26)

| | | | | | | | | | | | | |
|----------|-----------------------|---|----|-----|----|----|---------|-------|-------|------|--------|---|
| 88378-SU | A15/LED/6W/D/E/FR/27 | 6 | 40 | 480 | 80 | 80 | Frosted | 2700K | 25000 | 3.27 | DIM,ES | 6 |
| 80175-SU | A15/LED/6W/D/E/FR/30K | 6 | 40 | 480 | 80 | 80 | Frosted | 2700K | 25000 | 3.27 | DIM,ES | 6 |
| 80224-SU | A15/LED/6W/D/E/FR/50K | 6 | 40 | 480 | 80 | 80 | Frosted | 5000K | 25000 | 3.27 | DIM,ES | 6 |

Intermediate Screw (E17)

| | | | | | | | | | | | | |
|----------|-------------------------|---|----|-----|----|----|---------|-------|-------|------|-----|---|
| 80334-SU | A15/LED/6W/E17/D/FR/30K | 6 | 40 | 480 | 80 | 85 | Frosted | 3000K | 15000 | 1.89 | DIM | 6 |
|----------|-------------------------|---|----|-----|----|----|---------|-------|-------|------|-----|---|

High Lumen Lamps

High Bay Retrofit (Bypass Required)

120-277 Volts | Mogul Screw (E39)



| Item# | Description | Watt | Eq. W | Lumen | LPW | CRI | Finish | Kelvin | Hours | MOL(in) | Features | CTN |
|----------|----------------------|------|-------|-------|-----|-----|--------|--------|-------|---------|----------|-----|
| 80872-SU | HBR/LED/100W/E39/50K | 100 | 250 | 15000 | 150 | 80 | White | 5000K | 50000 | 12.05 | DLC | 4 |
| 80873-SU | HBR/LED/140W/E39/50K | 140 | 400 | 20000 | 143 | 80 | White | 5000K | 50000 | 12.13 | DLC | 4 |

High Lumen Lamps

General Purpose

120-277 Volts | Medium Screw (E26)



| Item# | Description | Watt | Eq. W | Lumen | LPW | CRI | Finish | Kelvin | Hours | MOL(in) | Features | CTN |
|----------|------------------------|------|-------|-------|-----|-----|--------|--------|-------|---------|----------|-----|
| 81256-SU | HL/LED/T32/E26/20W/30K | 20 | 225 | 2600 | 130 | 80 | White | 3000K | 50000 | 5.75 | IP65 | 6 |
| 81259-SU | HL/LED/T36/E26/45W/30K | 45 | 525 | 5800 | 129 | 80 | White | 3000K | 50000 | 9.45 | IP65 | 6 |
| 81266-SU | HL/LED/T36/E26/45W/50K | 45 | 525 | 5800 | 129 | 80 | White | 5000K | 50000 | | IP65 | 6 |

A21 High Lumen

| | | | | | | | | | | | | |
|----------|--------------------|----|-----|------|-----|----|-------|-------|-------|------|--|---|
| 82106-SU | A21/LED/20W/MV/40K | 20 | 150 | 2550 | 128 | 80 | White | 4000K | 25000 | 5.12 | | 6 |
|----------|--------------------|----|-----|------|-----|----|-------|-------|-------|------|--|---|

Reflector Lamps

Flood Light



120 Volts | Medium Screw (E26)

| Item# | Description | Watt | Eq. W | Lumen | LPW | CRI | Finish | Kelvin | Hours | MOL(in) | Features | CTN |
|-------|-------------|------|-------|-------|-----|-----|--------|--------|-------|---------|----------|-----|
|-------|-------------|------|-------|-------|-----|-----|--------|--------|-------|---------|----------|-----|

R20 | Medium Screw (E26)

| | | | | | | | | | | | | |
|----------|----------------------|---|----|-----|----|----|-------|-------|-------|------|--------|---|
| 81437-SU | R20/LED/8W/CRI90/27K | 8 | 50 | 525 | 66 | 90 | White | 2700K | 25000 | 3.78 | DIM,ES | 6 |
| 81438-SU | R20/LED/8W/CRI90/30K | 8 | 50 | 525 | 66 | 90 | White | 3000K | 25000 | 3.78 | DIM,ES | 6 |
| 81439-SU | R20/LED/8W/CRI90/40K | 8 | 50 | 525 | 66 | 90 | White | 4000K | 25000 | 3.78 | DIM,ES | 6 |
| 81393-SU | R20/LED/8W/D/E/50K | 6 | 40 | 450 | 75 | 90 | White | 5000K | 25000 | 3.78 | DIM,ES | 6 |

BR30 | Medium Screw (E26)

| | | | | | | | | | | | | |
|----------|------------------------|------|----|-----|----|----|-------|-------|-------|------|--------|---|
| 81395-SU | BR30/LED/10.5W/D/E/30K | 10.5 | 65 | 800 | 76 | 80 | White | 3000K | 25000 | 5.16 | DIM,ES | 6 |
| 81396-SU | BR30/LED/10.5W/D/E/40K | 10.5 | 60 | 800 | 76 | 80 | White | 4000K | 25000 | 5.16 | DIM,ES | 6 |
| 81397-SU | BR30/LED/10.5W/D/E/50K | 10.5 | 60 | 800 | 76 | 80 | White | 5000K | 25000 | 5.16 | DIM,ES | 6 |

BR40 | Medium Screw (E26)

| | | | | | | | | | | | | |
|----------|----------------------|----|----|------|----|----|-------|-------|-------|------|--------|---|
| 81332-SU | BR40/LED/13W/D/E/30K | 13 | 75 | 1100 | 85 | 80 | White | 3000K | 25000 | 6.1 | DIM,ES | 6 |
| 81333-SU | BR40/LED/13W/D/E/40K | 13 | 75 | 1100 | 85 | 80 | White | 4000K | 25000 | 5.39 | DIM,ES | 6 |
| 81334-SU | BR40/LED/13W/D/E/50K | 13 | 75 | 1100 | 85 | 80 | White | 5000K | 25000 | 5.39 | DIM,ES | 6 |
| 81335-SU | BR40/LED/13W/D/65K | 13 | 75 | 1100 | 85 | 80 | White | 6500K | 25000 | 5.39 | DIM | 6 |

PAR16 | Medium Screw (E26)

| | | | | | | | | | | | | |
|----------|----------------------|---|----|-----|----|----|-------|-------|-------|------|--------|---|
| 80124-SU | PAR16/LED/7W/D/E/27K | 7 | 75 | 500 | 71 | 80 | White | 2700K | 25000 | 30.3 | DIM,ES | 6 |
| 80541-SU | PAR16/LED/7W/D/30K | 7 | 75 | 500 | 71 | 80 | White | 3000K | 25000 | 3.03 | DIM | 6 |
| 80542-SU | PAR16/LED/7W/D/40K | 7 | 75 | 500 | 71 | 80 | White | 4000K | 25000 | 3.03 | DIM | 6 |

PAR30 Short Neck

| | | | | | | | | | | | | |
|----------|------------------------------|----|----|-----|----|----|-------|-------|-------|------|--------|---|
| 80945-SU | PAR30/LED/10W/S/FL35/D/E/27K | 10 | 75 | 750 | 75 | 80 | White | 2700K | 25000 | 3.33 | DIM,ES | 6 |
| 80948-SU | PAR30/LED/10W/S/FL35/D/E/50K | 10 | 75 | 750 | 75 | 80 | White | 5000K | 25000 | 3.33 | DIM,ES | 6 |

PAR30 Long Neck

| | | | | | | | | | | | | |
|----------|------------------------------|----|----|-----|----|----|-------|-------|-------|------|--------|---|
| 80883-SU | PAR30LN/LED/10W/FL40/D/E/50K | 10 | 75 | 800 | 80 | 80 | White | 5000K | 25000 | 4.53 | DIM,ES | 6 |
|----------|------------------------------|----|----|-----|----|----|-------|-------|-------|------|--------|---|

PAR38 | 90 CRI

| | | | | | | | | | | | | |
|----------|-------------------------------|----|-----|------|----|----|-------|-------|-------|------|-----|---|
| 88082-SU | PAR38/LED/17W/FL40/DIM/90/27K | 17 | 120 | 1150 | 68 | 90 | White | 2700K | 40000 | 5.08 | DIM | 6 |
|----------|-------------------------------|----|-----|------|----|----|-------|-------|-------|------|-----|---|